



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/973,421	10/09/2001	Sanjeevan Sivalingham	4740-013	6284
24112	7590	10/17/2005	EXAMINER	
COATS & BENNETT, PLLC P O BOX 5 RALEIGH, NC 27602			WILSON, ROBERT W	
			ART UNIT	PAPER NUMBER
			2661	

DATE MAILED: 10/17/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 09/973,421	Applicant(s) SIVALINGHAM, SANJEEVAN	
	Examiner Robert W. Wilson	Art Unit 2661	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 29 October 2001.  
 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-45 is/are pending in the application.  
 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
 5) ☒ Claim(s) 1-15 is/are allowed.  
 6) ☒ Claim(s) 16-19, 23-28, 30, 31 and 34-45 is/are rejected.  
 7) ☒ Claim(s) 20-22, 29 and 33 is/are objected to.  
 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.  
 10) ☒ The drawing(s) filed on 09 October 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
 a) ☐ All b) ☐ Some \* c) ☐ None of:  
 1. ☐ Certified copies of the priority documents have been received.  
 2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>4/17/03 &amp; 10/9/01</u> . | 6) <input type="checkbox"/> Other: _____  |

***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 16-19, 23-28, & 36-45 are rejected under 35 U.S.C. 103(a) as being unpatentable

over XP-002187650 (IDS document of record which contains RFC2002) in view of XP-

002233791 (IDS document of record containing 3GPP2 Draft Standard)

Referring to claim 16, RFC 2002 teaches: authenticating between two nodes.

Identification or message # is sent in a registration request from a 1<sup>st</sup> node per Pg 27.

The Identification or Message is sent to the 2<sup>nd</sup> node per Para 3.3 Pg 27.

The 2<sup>nd</sup> node with the home agent receives the replay registration request or 2<sup>nd</sup> registration message with a timestamp in the first 32 bits of the Message Identification Format and the ID# is the lower 32 bits of the Message Identification Format per Pgs 67-68 respectively.

The node checks the ID# against a value in the registration and compares the time stamp against the node's clock. The message is accepted if the timestamp is within a reasonable range of the clock and the message ID # is the same as in the register.

RFC2002 does not expressly call for: 1<sup>st</sup> node to be PCF and the second node to be a PDSN.

XP-002187650 teaches that RFC2002 applies to systems with PCF and PDSN.

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilized the PCF and PDSN as the node 1 and node 2 respectively of XP-002187650 to the system of RFC2002 in order to be standards compliant.

In addition RFC2002 teaches:

Regarding claim 17, reply message or 2<sup>nd</sup> message is validated based upon timestamp and message# per Pgs 67-68.

Regarding claim 18, reply message or 2<sup>nd</sup> message compare to clock within a certain time or threshold per Pgs 67-68.

Regarding claim 19, reply message or 2<sup>nd</sup> message compare to clock within a certain time or threshold per Pgs 67-68.

Art Unit: 2661

Regarding claim 23, compares the Message ID to predetermined message ID or predetermined code and verifies if the timestamp is close to the clock value per Pgs 67-68.

Referring to claim 24, the combination teaches the method of claim 16,

the combination does not expressly call for: time reference in said PCF

XP-002187650 teaches that RFC2002 applies to systems with PCF and PDSN.

It would have been obvious to add maintaining a time reference ins said PCF of XP-002187650 the method of RFC2002 in order to be standards compliant.

Referring to claim 25, the combination teaches the method of claim 16, a comparing the time stamp to a clock

The combination does not expressly call for: the comparison being performed in the PDSN

XP-002187650 teaches that RFC2002 applies to systems with PCF and PDSN.

It would have been obvious to add performing in the PDSN of XP-002187650 the method of RFC2002 in order to be standards compliant.

Referring to claim 26, the combination teaches the method of claim 24,

The combination does not expressly call for: wherein validating said time stamp in said second registration message comprises computing the age of said second registration message and comparing said age to verification threshold.

RFC2002 teaches: wherein validating said time stamp in said second registration message comprises computing the age of said second registration message and comparing said age to verification threshold. Per Pg 67-68.

It would have been obvious to add comparing the message to the threshold of RFC2002 the method of the combination in order to be standards compliant.

Referring to claim 27, the combination teaches the method of claim 26,

The combination does not expressing call for : wherein the age of said second registration message comprises computing a time difference between said time stamp in said second registration message and said time reference.

RFC2002 teaches: wherein the age of said second registration message comprises computing a time difference between said time stamp in said second registration message and said time reference per Pgs 67-68.

Art Unit: 2661

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the comparing the time difference to a threshold of RFC2002 to the method of the combination in order to be standards compliant.

Referring to claim 28, the combination teaches: the method of claim 24

The combination does not expressly call for: comprising generating a time stamp for said first registration message sent by said PCF to said PDSN based on said time reference.

RFC2002 teaches: comprising generating a time stamp for said first registration message sent by said PCF to said PDSN based on said time reference per Pgs 67-68.

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the generating a time stamp for the first registration message of RFC2002 to the method of the combination in order to be standards compliant.

Referring to claim 36, RFC2002 teaches: A node for routing packets in a system per Pgs 27 & 67-68.

An inherent signal component in a node sends a registration request to a 2<sup>nd</sup> node per Pgs 27 & Pgs 67-68.

The registration request comprises a message# is the lower 32 bits of the message Identification format per Pgs 27 & 67-68.

A registration replay or reply contains message # in the lower 32 bits and a timestamp or identifier in the first 32 bits of the message identification format per Pgs 27 & 67-68.

The inherent signaling component in the node authenticates the message in the lower 32 bits with the stored value of the registration number and authenticates the timestamp value in the upper 32 bits of the message identification format with the nodes clock value per Pgs 27 & 67-68.

RFC2002 does not expressly call for: node to be PCF and the second node to be a PDSN.

XP-002187650 teaches that RFC2002 applies to systems with PCF and PDSN.

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilized the PCF and PDSN as the node and 2<sup>nd</sup> node respectively of XP-002187650 to the system of RFC2002 in order to be standards compliant.

In Addition RFC2002 teaches:

Regarding claim 37, message number is compared to message number in registered per Pgs 27 & 67-68.

Regarding claim 38, compares the timestamp to the clock per Pgs 27 & 67-68

Regarding claim 39, compares the timestamp to the clock or differential value per Pgs 27 & 67-68.

Regarding claim 40, compares the message number with the registered message number and timestamp to the clock per Pgs 27 & 67-68.

Art Unit: 2661

Referring to claim 41, RFC2002 teaches: Mobile IP or wireless network in which the routing between node 1 and node per Pgs 27 & 67-68.

Node 2 receives a registration request with a message # per Pgs 27 & Pgs 67-68.

Node 1 receives a message # in the lower 32 bits and timestamp on the upper 32 bits per Pgs 27 & 67-68.

The inherent signal component in node 1 authenticates the message # and time stamp returned by node 2 per Pg 27 & 67-68.

RFC2002 does not expressly call for: BSC, PCF, & PDSN.

XP-002187650 teaches that RFC2002 applies to systems with PCF and PDSN which inherently have a BSC.

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the PCF & PDSN to node 1 and node respectively of XP-002187650 to the system of RFC2002 in order to be standards compliant.

In Addition RFC2002 teaches:

Regarding claim 42, message number is compared to message number in registered per Pgs 27 & 67-68.

Regarding claim 43, compares the timestamp to the clock computes a value to determine if clock or a differential value per Pgs 27 & 67-68

Regarding claim 44, compares the timestamp to the clock or differential value per Pgs 27 & 67-68.

Regarding claim 45, compares the message number with the registered message number and timestamp to the clock or differential value and determines if close per Pgs 27 & 67-68.

3. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Renaud (Patent

Pub. No.: 2001/0022824 A1) in view of Park (Patent Pub. No.: 2001/0022824 A1)

Referring to claim 30, Renaud teaches a method of providing resynchronization between two synchronous units by sending a timestamp message which is utilized by the receiving unit to detect or validate the transmitted message relative to the receivers clock.

The receiver receives a time stamp which is the time that the transmitter sent the message. The receiver extracts the timestamp value and compares the value relative to its internal clock to determine a difference. If the difference is greater than a ROC threshold or pre-determine threshold then the internal clock of the receiving unit is adjusted per Pg 2 Para [0027]-[0029] or Figures 2 & 3.

Art Unit: 2661

Renaud does not expressly call for: the receiving unit to be a PDSN and the transmitting unit to be a PDSN but teaches that this method is utilized in synchronous systems per PG 2 Para [0028]

Park teaches: 3G systems which inherently have a PCF and PDSN are IMT-2000 synchronous systems per Pg 3 Para [0076]-[0079]

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the 3G IMT-2000 system of Park to the resynchronization method of Renaud because they are synchronous systems.

4. Claims 31-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Renaud

(Patent Pub. No.: 2001/0022824 A1) in view of Park (Patent Pub. No.: 2001/0022824 A1)

further in view of XP-002187650 (IDS document of record which contains RFC2002)

Referring to claim 31, the combination of Renaud and Park teaches the method of claim 30, herein receiving a message presumptively from said PDSN and said PCF indicating that the first reference time requires re-synchronization with said second reference time comprising receiving a reply message

The combination of Renaud and Park does not expressly call for: registration and registration reply

RFC2002 teaches registration and registration replay or reply per Pgs 27 & 67-68.

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the registration and registration reply of RFC 2002 to the method of the combination of Renaud and Park in order to be standards compliant.

Referring to claim 32, the combination of Renaud, Park, and RFC2002 teaches the method of claim 31,

The combination of Renaud, Park does not expressly call for: message includes an identifier, time stamp and message number and comparing the message number to a matching message number

RFC2002 teaches message includes an identifier, time stamp and message number and comparing the message number to a matching message number per Pgs 27 & 67-68.

Art Unit: 2661

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the identifier, time stamp, and comparison of the message number RFC 2002 to the method of the combination of Renaud, Park, and RFC2002 in order to be standards compliant.

5. Claims 34 & 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Renaud (Patent Pub. No.: 2001/0022824 A1) in view of Park (Patent Pub. No.: 2001/0022824 A1) further in view of XP-002233791 (IDS document of record containing 3GPP2 Draft Standard)

Referring to claim 34, the combination of Renaud and Park teaches the method of claim 30, and adjusting the time at the receiving station

The combination of Renaud and Park does not expressly call for: maintaining the base time in the PCF and determining the reference time by adjusting the PCF time based upon the PDSN time value.

XP-002233791 (IDS document of record containing 3GPP2 Draft Standard) maintaining the base time in the PCF and determining the reference time by adjusting the PCF time based upon the PDSN time value

It would have been obvious to one of ordinary skill in the art at the time of the invention to add the standards of XP-002233791 to the method of the combination of Renaud and Park in order to be standards compliant.

Referring to claim 35, the combination of Renaud, Park, and XP-002233791 teaches the method of claim 34,

The combination of Renaud, Park, and XP-002233791 does not expressly call for: further comprising synchronizing said base PCF time with a network-based time.

RFC2002 teaches synchronizing relative to a time clock or network standards time per Pg

It would have been obvious to one of ordinary skill in the art at the time of the invention to add synchronizing relative to shared network time clock of RFC2002 to the method Renaud, Park, and XP-002233791 in order to be standards compliant.



### ***Claim Objections***

6. Claims 20-22, 29, & 33 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

7. Claims 38 & 39 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim 38 does not refer to claims 36 and 37 in the alternative. See MPEP § 608.01(n). Accordingly, the claims 38 & 39 have not been further treated on the merits.

### ***Drawings***

8. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: The elemental numbers 24 (MT), 20, (BSC) 12 (PCF), & 14 (PDSN) are missing on Figures 2 & 3 but are described in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Allowable Subject Matter***

9. The invention is directed to a method of authenticating a registration reply messages received by a PCF is responsive to registration messages sent by the PCF to the PDSN. The

Art Unit: 2661

method comprises; determining a verification threshold for validating time stamps in registration reply messages, generating a sequence of message number for sequential use in the series of success registrations messages sent by said PCF to said PDSN, said sequence of the message numbers having a repeat interval greater than said verification threshold.

The closest prior art is XP-002233791 entitled 3GPP2 Access Network Interface Operation Specification Version 2.0 dated June 2001 and XP-002187650 entitled Perkins RFC2002 IP Mobility Support dated Oct 1996. XP-002233791 teaches that registration requests to the PDSN from the PCF are performed based upon RFC2002. RFC2002 teaches authenticating between two nodes via identification or message number is sent in a registration request from a 1<sup>st</sup> node per Pg 27 via two methods. In both methods the message is sent to the 2<sup>nd</sup> node with a home agent. The 2<sup>nd</sup> node with the home agent receives replay registration request or 2<sup>nd</sup> registration message. There are two types a message reply messages. In the first method the message reply message a timestamp is sent in the first 32 bits and a Message ID is sent in the 2nd 32 bits of the Message ID format per Pg 67 & 68 and Para 5.6 & 5.6.1 (No varying sequential number is sent in this method). In the second method a new number is sent in the first 32 bits and a constant mobile Id is sent in the lower 32 bits to the Message ID format (No time stamp is sent with this method)

The closest prior art independently or in combination does not disclose anticipate or render obvious the following claim limitation:

“determining a verification threshold for validating time stamps in registration reply messages;

generating a sequence of message numbers for sequential use in a series of successive registration message sent by said PCF to said PDSN, said sequence of message numbers having a repeat interval greater than said verification threshold” as claimed in claim 1.

In addition :

Claims 2-15 are allowable because they depend upon claim 1.

### ***Conclusion***

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert W. Wilson whose telephone number is 571/272-3075.

The examiner can normally be reached on M-F (8:00-4:30).

Art Unit: 2661


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau T. Nguyen can be reached on 571/272-3126. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Robert W Wilson  
Examiner  
Art Unit 2661

RWW  
10/3/05



**BOB PHUNKULH**  
**PRIMARY EXAMINER**